Bullets 2025

®









Mini-Can Ammo Can

#54813

Introducing the new Berry's Mini-can Ammo Can. Gasket sealed, stackable hard plastic storage solution with a conveintent carrying handle ready to tackle your next range or reloading day adventure.

Berry's Mini-Can Bundle

Each stackable mini-can comes prefilled with select calibers and quantities of your favorite Berry's Bullets. Compact, convenient and perfect for storing or transporting your ammo with ease.

| Caliber | Grain | Profile | Count | Part Number |
|------------------|-------|---------|-------|-------------|
| .380 | 100 | RN | 500 | #24744 |
| 9mm | 115 | RN | 500 | #62248 |
| 9mm | 124 | RN | 500 | #10059 |
| 9mm | 147 | RN | 500 | #86133 |
| .38/.357 | 158 | FP | 500 | #59964 |
| , .40S&W/10mm | 180 | FP | 500 | #27471 |
| .45 ACP | 230 | RN | 350 | #41760 |
| .300 BLK | 220 | SP | 350 | #63587 |
| .223/5.56 | 55 | FMJ | 1500 | #28463 |
| .223/5.56 | 65 | FMJ | 1500 | #37754 |



Berry's 100 Round Ammo Box

Now available for .243 Win, 6.5 Creedmoor, and .308 Win, these boxes are stackable, carry a lifetime warranty, and are proudly made in the USA.

Our Model #009 100-round boxes feature a stronger flip-top design, allowing secure ammo storage with easy one-handed operation. Along with a translucent lid, they now come with a black base for increased strength and a clean look.

QD-500 Brass Sorter Kit

#84696

Contains:

- QD-500 Vibratory Tumbler
- Brass and Media Separator
- 6lb. Corn Media
- 8oz. Brass Bright Polish

Our Berry's QD-Separator Kit is your ultimate brass cleaning solution! This all-in-one kit includes the powerful QD-500 Vibratory Tumbler, our efficient Rotary Brass Sorter and Media Separator, 6 lbs of 14/20 premium corn media, and 8 oz of Berry's Brass Bright polish.

The QD-500 Tumbler motor is backed by an industry-leading 3-year warranty, and all other kit components come with a lifetime warranty. Proudly made in the USA, this kit ensures your brass is perfectly prepped for every reloading session!



New Berry's Products



| Berry's Pistol Racks | | | | | | | |
|----------------------|--------|------------------------|--------|--|--|--|--|
| 6 Gun Rack | #65892 | Gun Safe Shelf Hangers | #54358 | | | | |
| 4 Gun Rack | #52672 | Gun Safe Track Clips | #84913 | | | | |

Organize your pistols efficiently with Berry's Pistol Rack System. Designed for secure storage, this system features high-quality polymer components combined with durable materials to hold your pistols in place without causing wear or damage.

Available in 4-gun and 6-gun configurations, these racks can be mounted inside your gun safe or onto any flat surface using the optional mounting hardware kit (sold separately). With the ability to swivel 180 degrees, the racks provide easy access to your firearms while maximizing storage efficiency.

Features:

- Holds 4 or 6 pistols securely.
- Constructed with high-quality polymer and sturdy materials for lasting durability.
- Mountable design for safes or flat surfaces (hardware kit sold separately).
- Swivels 180 degrees for convenient access.
- Soft-touch surfaces to protect your pistols from scratches or damage.



Superior Plated Bullets

| 250ct #99586 80 SU 250ct #31198 80 C/ | 1000ct #75556 PER (1000ct #28846 | Max Velocity 1250 FPS CARRY Max Velocity 1550 FPS | OAL .423" OAL .423" |
|--|---|---|--|
| 250ct #31198 | 1000ct | Max Velocity | OAL .423" |
| 250ct #31198 | 1000ct | Max Velocity | |
| #31198 | | | |
| | #28840 | 1990119 | .425 |
| 80 C/ | | | |
| | AL. | | |
| 250ct | 1000ct | Max Velocity 1250 FPS | OAL |
| #67767 #12535 | #39481 #75727 | | .452' .470' |
| #54458 | #72643 | 1250 FPS | .427' |
| мм | | | |
| 250ct | 1000ct | Max Velocity | OAL |
| #79585 | #19544 | 1250 FPS | .519' |
| #19355 | #36002 | 1250 FPS | .550' |
| | | | .478' |
| | | | .574' . 576 ' |
| | | | .576 |
| | | 1250 FPS | .512' |
| #10299 | #32871 | 1250 FPS | .567 |
| #15143 | #29325 | 1500 FPS | .612' |
| #00335 | #00401 | | .534' |
| | | | .628' |
| | | | .623' .672' |
| #00355 | #00180 | 1250 FPS | .597' |
| | DED | | |
| | | | |
| 1 | | | OAL .585' |
| • ** | | | |
| 8/.3 | 57 CA | L. | |
| 250ct | 1000ct | Max Velocity | OAL |
| #95022 | #95400 | 1250 FPS | .518 |
| | | | .554 . 5 44 |
| #68188 | #06769 | 1250 FPS 1250 FPS | .607 |
| | #3565/ | | |
| #38587 | #35654 #01594 | | .690 |
| | #35654 # 01594 #00616 | 1250 FPS 1250 FPS 1250 FPS | . 690 .636 |
| #38587 #57945 #84525 #83330 | #01594 #00616 #63197 | 1250 FPS 1250 FPS 1250 FPS | .690 .636 .673 |
| #38587 #57945 #84525 | #01594 #00616 | 1250 FPS 1250 FPS | . 690 .636 |
| #38587 #57945 #84525 #83330 #72843 | #01594 #00616 #63197 #18493 | 1250 FPS 1250 FPS 1250 FPS 1500 FPS | .690 .636 .673 |
| #38587 #57945 #84525 #83330 #72843 | #01594 #00616 #63197 | 1250 FPS 1250 FPS 1250 FPS 1500 FPS | .690 .636 .673 |
| | #12535 #54458 M M 250ct #79585 #01105 #00231 #73429 #76848 #43234 #10299 #15143 #00335 #46109 #62793 #74030 #00355 B8 SU 250ct 88/.3 250ct | #12535 #75727 #54458 #72643 MM 250ct 1000ct #79585 #19544 #19355 #36002 #01105 #43519 #00231 #00173 #73429 #65921 #76848 #19324 #10299 #32871 #15143 #29325 #00355 #00401 #46109 #38194 #65793 #00359 #74030 #47636 #00355 #00180 | #12535 #75727 1250 FPS #54458 #72643 1250 FPS MM 250ct 1000ct Max Velocity #79585 #19544 1250 FPS #10105 #43519 1250 FPS #00231 #00173 1500 FPS #0231 #00173 1500 FPS #73429 #65921 1250 FPS #43234 #19584 1250 FPS #10299 #32871 1250 FPS #10329 #38194 1250 FPS #46109 #38194 1250 FPS #00355 #00401 1500 FPS #00355 #00180 1250 FPS #0357 CALL Estep 250ct 1000ct Max Velocity < |

| G .4 | 0 S& | W/10 | MM | |
|----------------|--------|-------------|--------------|-------|
| (.401) ± .0005 | 250ct | 1000ct | Max Velocity | OAL |
| 155gr FP | #84352 | #72953 | 1250 FPS | .525" |
| 155gr RS | #32541 | #59314 | 1250 FPS | .503" |
| 155gr HB FP | #97152 | #44572 | 1250 FPS | .565" |
| 155gr HB RN | #54489 | #52222 | 1250 FPS | .562" |
| 165gr FP | #54174 | #31500 | 1250 FPS | .553" |
| 165gr HB FP TP | #54175 | #01500 | 1500 FPS | .595" |
| 180gr FP | #99958 | #33701 | 1250 FPS | .596" |
| 180gr RN | #38854 | #45855 | 1250 FPS | .596" |
| 180gr RS | #31646 | #09911 | 1250 FPS | .575" |
| 180gr THP | #10659 | #25894 | 1250 FPS | .629" |
| 180gr FP TP | #66728 | #58513 | 1500 FPS | .599" |
| (.401) ± .0005 | 250ct | 500ct | Max Velocity | OAL |
| 200gr FP | #50400 | #00218 | 1250 FPS | .656" |
| 200gr FP TP | #40500 | #81200 | 1500 FPS | .656" |
| 220gr FP TP | #35661 | #10220 | 1500 FPS | .656" |
| | | | | |



<u>.44 CAL.</u>

| (.429) ± .0005 | 250ct | 500ct | Max Velocity | OAL |
|----------------|--------|--------|--------------|-------|
| 220gr FP | #20588 | #00206 | 1850 FPS | .611" |
| (.429) ± .0005 | 200ct | 500ct | Max Velocity | OAL |
| 240gr FP | #97080 | #00207 | 1850 FPS | .659" |
| 240gr THP | #99208 | #00208 | 1850 FPS | .692" |
| 6 | | | | |

| C .4 | 5 CA | L. | Max Velocity | |
|----------------|--------|--------|--------------|-------|
| (.452) ± .0005 | 250ct | 500ct | | OAL |
| 185gr FP | #25016 | #00209 | 1250 FPS | .467" |
| 185gr HB RN | #84477 | #00210 | 1250 FPS | .586" |
| 185gr SWC | #15770 | #00211 | 1250 FPS | .536" |
| 200gr HB FP | #00337 | #00402 | 1250 FPS | .559" |
| 200gr FP | #75546 | #00212 | 1250 FPS | .501" |
| 200gr SWC | #41391 | #00215 | 1250 FPS | .602" |
| 200gr THP | #41968 | #00213 | 1250 FPS | .529" |
| 200gr RS | #46967 | #00214 | 1250 FPS | .507" |
| 200gr RN | #45978 | #23898 | 1250 FPS | .578" |
| 230gr RN | #98192 | #00216 | 1250 FPS | .638" |
| | | | | |



| .500 CAL. | | | | | | | |
|----------------|--------|--------|--------------|-------|--|--|--|
| (.500) ± .0005 | 150ct | 500ct | Max Velocity | OAL | | | |
| 300gr RS | #00360 | #00198 | 2000 FPS | .625" | | | |
| 350gr RS | #82445 | #86248 | 2000 FPS | .720" | | | |

Target

Hollow Point

THP



1-800-269-7373

THIS IS NOT LOADED AMMUNITION

Thick

Plate

TP

Superior Plated Bullets

| | .223/3.30 LAL. | | | | | | | |
|-----------------------------------|----------------|-------------------------|-------------------------|-------------------------|--------------|------------------------|--|--|
| (.224) | Jacketed | 500ct | 1500ct | 5000ct | Max Velocity | OAL | | |
| 55gr FMJ-BT 62gr FMJ-BT | | #00339 #93300 | #28463 #37754 | #18435 #53481 | N/A N/A | . 738" .810" | | |

222/E EC CAL

NI-CAN BUNDLE

| Caliber | Grain | Profile | Count | Part Number | |
|-------------|-------|---------|-------|-------------|--------------------------------|
| .380 | 100 | HBRN | 500 | #24744 | |
| 9mm | 115 | RN | 500 | #62248 | *Your favorite Berry's Bullets |
| 9mm | 124 | RN | 500 | #10059 | combined with our stackable |
| 9mm | 147 | RN | 500 | #86133 | and secure #54813 Mini-Can |
| .38/.357 | 158 | FP | 500 | #59964 | Ammo Can.* |
| .40S&W/10mm | 180 | FP | 500 | #27471 | |
| .45 ACP | 230 | RN | 350 | #41760 | |
| .300 BLK | 220 | SP | 350 | #63587 | |
| .223/5.56 | 55 | FMJ | 1500 | #28463 | |
| .223/5.56 | 65 | FMJ | 1500 | #37754 | |

HYBRID HOLLOW POINT BULLETS

Our Hybrid Hollow Points are engineered as a superior self-defense projectile. Effective velocity is the window at which the bullet will open.





| (.356) ±.0005 | 100 | ct | 250ct | 10 | 000ct | Effective Velocity | OAL |
|---------------|-----|-------|--------|----|-------|--------------------|-------|
| 100gr HHP | #1 | 5328 | #27619 | # | 51837 | 875-975 FPS | .447" |
| | MN | 1 | | | | | |
| (.356) ±.0005 | 100 | ct | 250ct | 1(| 000ct | Effective Velocity | OAL |
| 124gr HHP | #1 | 6998 | #01704 | # | 00915 | 1050-1150 FPS | .538" |
| 147gr HHP | N// | 4 | #01805 | # | 01000 | 975-1075 FPS | .610" |
| | 20 | C D (| _ | | | | |

.38 SPC.

| (.357) | ±.0005 | 50ct | 250ct | 1000ct | Effective Velocity | OAL |
|---------|--------|--------|--------|----------|--------------------|-------|
| 125gr H | IHP | #N/A | #19912 | #33495 | 900-1000 FPS | .528" |
| T | .4 | 0 S&\ | W/10N | M | | |
| (.401) | ±.0005 | 50ct | 250ct | 1000ct | Effective Velocity | OAL |
| 180gr H | IHP | #72111 | #01502 | #00725 | 975-1075 FPS | .598" |
| M | | - | | | | |

5 CAL.

| (.452) ±.0005 | 5UCt | 250ct | 500ct | Ellective velocity | UAL |
|---------------|--------|--------|--------|-----------------------------|----------------|
| 185gr HHP | N/A | #00328 | #00258 | 975-1125 FPS | .518" |
| 200gr HHP | N/A | #01110 | #00334 | 925-1075 FPS 825-975 FPS | .547" .610" |
| 230gr HHP | #65300 | #01225 | #00400 | 823-973 FP3 | .010 |

Tiffe estime Melle eite

Plated Bullet Loading Tips

Load data for our Superior Plated Bullets can be found in any manual or on any powder manufacturer's website. Cast or jacketed data will work with our bullets of the same grain weight.

Important things to remember:

· Don't over crimp the brass. This causes bullet core separation, leading to increased copper fouling and accuracy issues.

 Don't exceed the recommended maximum velocities listed. Doing so will cause bullet core separation and accuracy issues.

SUPERIOR PLATED RIFLE BULLETS

| (.308) ± .0005 | 250ct | 1000ct | Max Velocity | OAL |
|--|--|---|--|--|
| 110gr RN | #26513 | #54402 | 2000 FPS | .647" |
| | 0-30 | WIN | | |
| (.308) +.001000 | 250ct | 1000ct | Max Velocity | OAL |
| 150gr RS | #73348 | #24485 | 2000 FPS | .834" |
| | | | | |
| 7. | 62X3 | 9мм | | |
| (.311) ±.0005 | 250ct | 1000ct | Max Velocity | OAL |
| 123gr Spire Point | #00170 | #00159 | 2000 FPS | .796" |
| | | | | |
| | | | | |
| <u> </u> | 5-70 | Gov | Г. | |
| (.458) ± .0005 | 150ct | GOV 500ct | Max Velocity | OAL |
| (.458) ± .0005 | | | | OAL .864" |
| (.458) ± .0005 350gr RS | 150ct #53781 | 500ct #77964 | Max Velocity 1950 FPS | .864" |
| (.458) ± .0005 350gr RS | 150ct #53781 | 500ct #77964 | Max Velocity | .864" |
| (458) ± .0005 350gr RS | 150ct #53781 | 500ct #77964 | Max Velocity 1950 FPS LACKOU Max Velocity | .864" JT OAL |
| (.458) ± .0005 350gr RS (.308) +.001000 150gr Spire Point | 150ct #53781 BOO A 200ct #70631 | 500ct #77964 ACB 500ct #39421 | Max Velocity 1950 FPS LACKOU Max Velocity 1650 FPS | .864" JT OAL 1.013' |
| (.458) ± .0005 350gr RS (.308) +.001000 150gr Spire Point 180gr Spire Point | 150ct #53781 BOO A 200ct #70631 #02175 | 500ct #77964 AC B 500ct #39421 #02164 | Max Velocity 1950 FPS LACKOU Max Velocity 1650 FPS 1500 FPS | .864" JT OAL 1.013' 1.155' |
| (.458) ±.0005 350gr RS (.308) +.001000 150gr Spire Point 180gr Spire Point 200gr Spire Point | 150ct #53781 BOO A 200ct #70631 #02175 #02197 | 500ct #77964 ACB 500ct #39421 #02164 #02186 | Max Velocity 1950 FPS LACKOU Max Velocity 1650 FPS 1500 FPS 1400 FPS | .864" JT OAL 1.013' 1.155' 1.254' |
| (.458) ± .0005 350gr RS (.308) +.001000 150gr Spire Point 180gr Spire Point | 150ct #53781 BOO A 200ct #70631 #02175 | 500ct #77964 AC B 500ct #39421 #02164 | Max Velocity 1950 FPS LACKOU Max Velocity 1650 FPS 1500 FPS | .864" JT OAL 1.013' 1.155' 1.254' |
| (.458) ±.0005 350gr RS (.308) +.001000 150gr Spire Point 180gr Spire Point 200gr Spire Point | 150ct #53781 BOO A 200ct #70631 #02175 #02197 | 500ct #77964 ACB 500ct #39421 #02164 #02186 | Max Velocity 1950 FPS LACKOU Max Velocity 1650 FPS 1500 FPS 1400 FPS | .864" JT OAL 1.013' 1.155' 1.254' |
| (.458) ±.0005 350gr RS (.308) +.001000 150gr Spire Point 180gr Spire Point 200gr Spire Point 200gr Spire Point | 150ct #53781 8000 A 200ct #70631 #02175 #02175 #02197 #21019 | 500ct #77964 ACB 500ct #39421 #02164 #02186 #10100 | Max Velocity 1950 FPS LACKOU Max Velocity 1650 FPS 1500 FPS 1400 FPS 1300 FPS | .864" JT OAL 1.013' 1.155' 1.254' |
| (458) ±.0005 350gr RS (308) +.001000 150gr Spire Point 180gr Spire Point 200gr Spire Point 200gr Spire Point | 150ct #53781 BOO A 200ct #70631 #02175 #02197 | 500ct #77964 ACB 500ct #39421 #02164 #02186 #10100 | Max Velocity 1950 FPS LACKOU Max Velocity 1650 FPS 1500 FPS 1400 FPS 1300 FPS | .864" JT |



BLUE DIAMOND MUZZLELOADER BULLETS

| .50 Cal. (.452) 2 <u>5 Bullets & Sabot</u> s | | | | |
|---|--------|------|--|--|
| 250gr | #05995 | .220 | | |
| 275gr | #53555 | .234 | | |
| 305gr | #20600 | .242 | | |
| | | | | |

Our Superior, polycarbonate tipped, muzzleloader bullets have an excellent ballistic coefficient and great expansion. Berry's patented sabots improve accuracy while being easy to load.

Berry's 50 Round Ammo Boxes

| #401 | .380 Cal./9mm (1.17" OAL x .40") | #408 10mm/.45 ACP (1.25" OAL x .47") | #413 WSSM/.500 S&W (2.43" OAL x .57") |
|------|---|---|--|
| | Blue #53852 Smoke #19642 Clear #71933 | Blue #38861 Smoke #13897 Clear #67425 | Blue #33541 Clear #26105 |
| | Cleal #/1955 | Cleal #67425 | #414 WSM |
| #403 | .38 Cal./.357 | #409 .243/.308/6.5CRDMR | (2.06" OAL x .61") |
| | (1.64" OAL x .39") | (2.92" OAL x .49") | Blue #43974 |
| | Blue #36713 | Blue #82467 | Clear #19685 |
| | Smoke #92948 Clear #61687 | Smoke #46826 Clear #79314 | #415 Various |
| | | Orange #28397 | (3.19" OAL x .63") |
| #404 | .30 Carb./22 Hor. | # 410 070 / 00 00 | Blue #20015 |
| | (1.96" OAL x .39") | #410 .270/.30-06 | |
| | Blue #11964 | (3.64" OAL x .49") | #454 .454/.50 AE |
| | Clear #77334 | Blue #50199 | (1.92" OAL x .57") |
| #405 | .223/5.56/.300 BLK | Smoke #32019 Clear #91023 | Blue #38618 |
| | (2.27" OAL x .39") | Orange #77550 | |
| | Blue #44661 Smoke #29682 Clear #79462 | #411 .45/70 Govt. (2.68" OAL x .64") | |
| #407 | .44Spl/Mag | Blue #87962 Clear #38482 | |
| | (1.68" OAL x .47") Blue #82469 Smoke #59621 Clear #68345 | #412 .300 Ultra Mag. (3.93" OAL x .60") Blue #19975 Clear #71156 | 410 |

Berry's 10 Round Slip-Top Ammo Box



#150 10 Round .50 BMG (6.43" OAL x .73") Clear #50020

Berry's 20 Round Slip-Top Ammo Boxes

| 1A | | tt | 1.h | |
|----|----|----|-----|-----|
| | | | | |
| | ad | | | 110 |

| #109 | .243/.308/6.5CRDMR (3.13" OAL x .48") | | | |
|------|--|----------------------------|--|--|
| | Blue Smoke Clear | #09020 #09010 #09030 | | |

#110 .270/.30-06

(4.3" OAL x .53") Blue #10020 Smoke #10010 Clear #10030

Berry's Living Hinge Utility Boxes


| #403U 4.375" x 2" x 1.625" | <u>#300U</u> 3.5" x 2" x 1.7" | |
|-------------------------------|----------------------------------|---|
| Blue #25010 | Clear #90108 | |
| #003U | #409U | < |
| 4.5" x 4.5" x 1.625" | 5.5" x 2.5" x 2.5" | |
| Blue #22301 | Clear #29020 | |
| | | |



(All 250 count bullets come in a #409U box)

| Berry's | 100 Rou | nd Flip-To | p Boxes |
|--|--------------------------------|--|--|
| #001 .380 Cal./9mm | #005 .223 | /5.56/.300 BLK # | #008 10mm/.45 ACP |
| (1.18" OAL x .40") | (2.25" | OAL x .39") | (1.25" OAL x .47") |
| Blue #69874 Smoke #41236 Clear #87412 Green #00350 | Blue Smok Clear Greer | #03856 | Blue #67789 Smoke #92199 Clear #16678 Green #00410 |
| | | Long Rifle OAL x 29") #83500 #63600 | 009 |
| #003 .38/.357 Cal. | #007 .44 \$ | Spl/Mag 4 | #009 .243/6.5/.308 |
| (1.60" OAL x .39") | (1.67" | OAL x .47") | (2.92" OAL x .49") |
| Blue #95182 | Blue | #02070 | Blue #87439 |
| Smoke #75321 Clear #15382 | Smok Clear | e #99667 #48882 | Clear #25338 |

Berry's 20 Round Boxes



| #209 | .243/.3 | 308/6.5CRDMR | #210 .2 | 270/.3 | 0-06 | #211 | .45/70 | Govt./WSM | #212 | .300 U | ltra Mag. |
|------|--------------------------|----------------------------|---------|-------------|------------------|------|-------------------------|----------------------------|------|-----------------|------------------|
| | (2.96" O | AL x .49") | (3 | 3.68" OA | L x .49") | | (2.94" 0/ | AL x .60") | | (3.86" OA | AL x .60") |
| | Smoke Clear Orange | #68349 #78925 #19963 | | ear ange | #42655 #14489 | | Blue Clear Orange | #82216 #36875 #76881 | | Clear Orange | #75448 #21385 |

Berry's 20 Round Living Hinge Ammo Box

| | | 5/70 Govt. ' OAL x .64") | | D Ultra Mag. DAL x .61") | | M Calibers DAL x .62") |
|-------------|-------|-----------------------------|-------|-----------------------------|-------|---------------------------|
| an an an an | Clear | #11030 | Clear | #12030 | Clear | #13030 |
| 1 | 11 | | | | | |

Berry's 25 Round Living Hinge Shotshell Box

| <u>20 Gauc</u> | le | |
|----------------|------|--------|
| 3" OAL | Blue | #20302 |
| 12 Gaug | e | |
| 3" OAL | Blue | #23020 |
| | | |
| <u>12 Gaug</u> | e | |





Berry's Plastic Ammo Cans

| .20 Cal | Single Can | ase W x 3.125" Top W x 2.5" H) 500ct Pallet | • Rubber gasket sealed lid |
|---------|-----------------------------------|--|--|
| Black | #56235 | #12692 | |
| Tan | #72169 | #69573 | Steel cam-lock latch |
| .30 Cal | (9.25" L x 2.625" B Single Can | ase W x 3.25" Top W x 6.25" H) 500ct Pallet | • Collapsible handle |
| Black | #12887 | #12888 | |
| Tan | #49171 | #71592 | Stack and Store |
| .40 Cal | (9.25" L x 3.5" Bas Single Can | е W x 3.75" Тор W x 6.75" Н) 500ct Pallet | • Water resistant |
| Black | #00330 | #33500 | |
| Tan | #91151 | | • Lifetime warranty |

Berry's "Mini-Can" Ammo Can

Mini-Can Ammo Can

#54813



Berry's Mini-Can Ammo Can – the ultimate solution for compact, secure, and versatile ammunition storage. Crafted from durable polypropylene, this mini-can is designed to protect your ammo while being lightweight and easy to handle. Its stackable design ensures efficient storage, whether you're organizing your gear at home or packing for the range.

The Mini-Can features a dependable gasket-sealed lid, providing a secure, watertight barrier to keep moisture and dust out, ensuring your ammunition stays in top condition. A sturdy snap-lock mechanism keeps the lid firmly closed, while the robust carrying handle offers convenient portability for trips to the field or range.

Sized for convenience yet tough enough for serious shooters, the Berry's Mini-Can Ammo Can is perfect for reloaders, hunters, and competitive shooters who value reliable storage in a compact package. Keep your rounds safe, organized, and ready to go with the Berry's Mini-Can – your trusted companion for ammunition management.

Ammunition Storage

Tri-Can

- Customizable up to 9 separate cells
- Durable construction
- Stackable design
- Water resistant
- Lifetime warranty

| Black | #68911 |
|--------|--------|
| Orange | #88664 |
| Tan | #33805 |
| Red | #49667 |

Be a range pro with the Berry's Tri-Can. The triple ammo can design makes for an easily transportable case for any contents.



(9.25" L x 3.125" Base W x 3.125" Top W x 2.5" H)



| QD-500 Pro Brass Tumble | • Quick-detach | | | |
|--|---------------------------------------|---|----------|--|
| With Extra Detachable Bowl Without Extra Detachable Bowl | # 00540 #00356 | • Best in class 3 year | | |
| Brass Capacities | motor warranty • Lifetime warranty | | | |
| .380 Cal 1050 Pcs. 9mm - 109 .40 S&W - 700 Pcs. .45 Cal 6 .223/5.56MM - 450 Pcs. .30-06 SPRG | 50 Pcs. | on all other parts • Domed polycarbon- ate lid provides extra capacity | BERRIE - | |



| 400 Brass Tumbler | | | | #65555 | | | | | | |
|-------------------|--------|------------|---------|--------|---|-------|------|------|-------|------|
| Bras | s Ca | ра | cities | | | | | | | |
| | | | | | | | | | L000 | |
| | | | | | | | | | 600 | |
| .223 | /5.56N | 1 M | - 400 | Pcs. | I | .30-0 | 6 SF | PRG. | - 200 | Pcs. |
| | | | vear mo | | | | | | | FC. |

• Best in class 3 year motor warranty

• Lifetime warranty on all other parts

10" bowl holds 5 quarts

Fixed bowl
 Polycarbonate lid

Reloading Accessories

Rotary Brass Sorter & Media Separator



Rotary Brass Sorter & Media Separator #00375

- Sort brass and separate media with 1 tool
- Sorts brass diameters of .327" to .592"
- Lifetime warranty
- Base fits over a 5 gallon bucket

Sort your mixed range brass with ease with the Rotary Brass Sorter & Media Separator. Size the gate to the desired case diameter and listen as they fall through the gate and into the clamshell.
















- Used for resizing brass
- Non-greasy
- Easy clean up
- 8oz. pump spray bottle



Brass Bright Polish

8oz. bottle #56236 32oz. bottle #22724

- Two capfuls will make your brass shine
- Does not contain ammonia

QD-500 Brass Sorter Kit

Contains:

- QD-500 Vibratory Tumbler
- Brass and Media Separator
- 6lb. Corn Media
- 8oz. Brass Bright Polish

Pan Sifter

- Sorts media from brass
- Lifetime warranty
- Base fits over a 5 gallon bucket

Polishing Kit

#73743

#84696

#19282

Contains:

- 6lb. Corn Media
- 8oz. Brass Bright Polish

#15315 Superior Bullet Puller

- Reuse your components
- Rubberized grip and insert
- 4 collet sizes
- Fits centerfire rifle up to .300 ultra mag
- Fits pistol calibers up to .500 S&W

Primer Flip Tray

#97124

- 5" diameter
- Will accept federal large primer box

Powder Funnel Set

#31577

- One small and one large funnel
- Transparent inserts fit .17 Cal. .50 Cal.
- · Fits over the brass case mouth







Corn Cob Media 6lb. bag #85436 20lb. buck 5

14/20 Fine Grit

#22909

| ket | #7792 |
|------|-------|
| Crit | |

14/30 Coarse Grit Walnut Shell Media

8lb. bag #75221 30lb. bucket #91686

Pistol Storage



15"L x 10"W x 4"H #94632

Berry's Pistol Cases

• High density foam keeps pistols safe

Berry's Gun Swings

#86434

- Slide locking latch
- TSA compliant when used with approved locks
- Lifetime warranty

.22 Cal



Single Pistol Case 11.375"L x 7.25"W x 2.75"H #18756

- Injection molded glass filled nylon
- Mounts Vertically
- Rotates up to 180 °
- Includes mounting hardware
- High density rubber sleeve covers
- for 9mm and .45 guns
- Reinforced with stainless steel rod
- Solvent resistant



Allows 180 degrees of rotation



Berry's Pistol Racks

6 Gun Rack 4 Gun Rack #65892 #52672 Gun Safe Shelf Hangers Gun Safe Track Clips #54358 #84913

- Holds 4 or 6 pistols securely.
- Constructed with high-quality polymer and sturdy materials for lasting durabili
- Mountable design for safes or flat surfaces (hardware kit sold separately).
- Swivels 180 degrees for convenient access.
- Soft-touch surfaces to protect your pistols from scratches or damage.

1-800-269-7373

ProMarksman Shooting



ProMarksman[™] Shooting Rest #49351

- Filled canvas bag
- Front bag with height adjustment
- Windage & elevation adjustment knobs
- 360° degree Ball & Case
- Customizable yokes to fit most guns

1-800-269-7373



ProMarksman Modular Systems











Berry's Precision System

#27518

The ultimate system for shooting, firearm maintaince and gunsmithing. Includes the Shooting Rest System and the Gun Vise Kit!

- Filled leather front rest bag
- Front rest adjust to accommodate most rifles
- Molded rubber shoulder rest
- Quick-detach Berrys Table Top Base

• Includes Berry's 360° Ball & Case allowing easy conversion to system kits and accessories

- Contains Gun Vise Beam, yokes, pads, straps, adjustment knobs and spacers
- Yokes and spcacers are customizable to fit any gun

Berry's Gun Vise System

#58812

- Quick-adjustable yokes to accomodate any fixed or break-open action rifle or shotgun
- Santoprene pads and straps hold your gun in place without damaging it
- Can be bench mounted with included hardware or with Berry's C-Clamps
- Includes Berry's 360° Ball & Case allowing easy conversion to system kits and accessories

Berry's Checkering Cradle System #87578

- Adjust to hold stocks or fore-ends from 12"-32" in length
- Includes the Berry's stand and adjust from 27"-58"
- · Allows free rotation of stock for all checkering applications

• Includes Berry's 360° Ball and Case allowing easy conversion to system kits and accessories

Berry's Machine Vice System #11817

- High quality Palmgren Vise
- Opens to 1.5"
- Great for smaller parts

• Includes Berry's 360° Ball & Case allowing easy conversion to system kits and accessories

Berry's AR-15 Mag System #29950

- Expanding jaws to hold any lower
- High qualilty machined aluminum inserts and knobs
- Includes Berry's 360° Ball and Case allowing easy conversion to system kits and accessories

ProMarksman Modular Items













<u>Tri-Pod Adapter</u> #48616



Berry's Ball & Case

#73991

• Berry's 360° Ball & Case swivel base allows for full rotation, giving you maximum flexibility and contol over your workpiece.

Berry's Checkering Cradle #84713

• Berry's Checkering Cradle is the ultimate solution for gunstock checkering. Whether your an experienced stock maker or a modern gunsmith, our checkering cradle provides stable adjustments and smooth, controlled movements for carving rifle stocks or finishing a stock checkering pattern.

Berry's Gun Vice

#35587

• Berry's Gun Vise Module compliments the Berry's Modular System by giving the user the ability to position any gun where you need it for all your maintenance needs. When attached to the Ball & Case, you now have the Berry's Gun Vise System. Comes with straps and yolks for holding your rifle. (Ball & Case required for function.)

Berry's Floor Stand

#05602

• Take your reloading setup to the next level with the versatile and sturdy Berry's Floor Stand. Designed to pair seamlessly with your Berry's Ball and Case Module, this stand provides a rock-solid foundation for precision checkering and gunsmithing.

Berry's Machine Vice

#45648

• Berry's machine vise provides reliable clamping force for a wide range of materials, offering stability and precision in every task. Whether you're milling, drilling, or clamping, this vise delivers consistent results in both professional machine shops and home workshops.

Berry's AR-15 Mag Adapter

#29947

• The Berry's AR-15 Magazine Adapter securely attaches your AR platform to the Berry's Ball and Case, providing a stable and adjustable setup for maintenance or gunsmithing.





BERRYSMFG.COM



401 N. 3050 E. ST. GEORGE, UT 84790

1-800-269-7373

SALES@BERRYSMFG.COM

BERRYSMFG.COM

